

KTMB5 | Multi-range cable grommets for KEL systems

for cable diameters 4 - 29 mm / IP54 / UL Type 12



Cable grommets KTMB5 are used to route pre-terminated cables with the following cable entry components:

- [KEL cable entry frames](#)
- [KVT split cable glands](#)

The innovative membrane enables the routing of cables with diameters that can vary up to 3 mm.

Utilising the KTMB5, cables with cable diameters from 4 to 29 mm can be routed.

The innovative wave cut and the flexible sealing lips make it possible to seal the cable with IP54 / UL Type 12.

[ST-B Plugs](#) can be used for sealing the grommets if cables have been removed.

IP54

UL TYPE
12

Made in
Germany

HL3
EN 45545-2

ECOLAB
certified

UV
ISO 4892-2A

RoHS
compliant

REACH
COMPLIANCE

UL
US

Specifications


IP rating (EN 60529)	IP54
UL Type (UL 50E)	UL Type 12
Material	Elastomer
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free

Advantages & benefits

- Routing of cables with and without connectors
- Only 12 grommets cover a clamping range from 4 to 29 mm
- Innovative wave cut for a better sealing
- Innovative membrane for high flexibility

Product types & sizes


KTMB5 4-7



Part No.	41380
EAN	4251269324987
Package quantity	10
For max. no. of cables	1
Colour	grey (similar RAL 7035)
Length	21 mm
Width	21 mm


Height	19 mm
Mounting height	2 mm
For cable type	Round cable
Clamping range	1 x 4 - 7 mm

KTMB5 6-9




Part No.	41381
EAN	4251269324994
Package quantity	10
For max. no. of cables	1
Colour	grey (similar RAL 7035)
Length	21 mm
Width	21 mm

Height	19 mm
Mounting height	2 mm
For cable type	Round cable
Clamping range	1 x 6 - 9 mm

KTMB5 8-11


Part No. **41382**
 EAN **4251269325007**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **grey (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 8 - 11 mm**

KTMB5 10-12


Part No. **41383**
 EAN **4251269325014**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **grey (similar RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 10 - 12 mm**

KTMB5 12-15


Part No. **41384**
 EAN **4251269325021**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **grey (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 12 - 15 mm**

KTMB5 14-17


Part No. **41385**
 EAN **4251269325038**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **grey (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 14 - 17 mm**

KTMB5 16-19


Part No. **41386**
 EAN **4251269325045**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **grey (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 16 - 19 mm**

KTMB5 18-21


Part No. **41387**
 EAN **4251269325052**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **grey (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 18 - 21 mm**

KTMB5 20-23


Part No. **41388**
 EAN **4251269325069**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **grey (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 20 - 23 mm**

KTMB5 22-25


Part No. **41389**
 EAN **4251269325076**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **grey (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 22 - 25 mm**

KTMB5 24-27

Part No. **41390**
 EAN **4251269325083**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **grey (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 24 - 27 mm**

KTMB5 26-29

Part No. **41391**
 EAN **4251269325090**
 Package quantity **10**
 For max. no. of cables **1**
 Colour **grey (similar RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Round cable**
 Clamping range **1 x 26 - 29 mm**